UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/549,802	09/19/2005	Yoshihiro Koizumi	Q90260	7950	
72875 7590 12/26/2007 SUGHRUE MION, PLLC			EXAMINER		
2100 Pennsylva	nia Avenue, N.W.		MRUK, GEOFFREY S		
Washington, D	C 20037		ART UNIT PAPER NUMBER		
•			2853		
			NOTIFICATION DATE	DELIVERY MODE	
			12/26/2007	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

USPTO@sughrue.com kghyndman@sughrue.com USPatDocketing@sughrue.com

		T	·H			
	Application No.	Applicant(s)				
Office Action Cummons	10/549,802	KOIZUMI, YOSHI	HIRO			
Office Action Summary	Examiner	Art Unit				
	Geoffrey Mruk	2853				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence ad	ldress			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. lely filed the mailing date of this c O (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 16 Oc	ctober 2007.					
· ·	action is non-final.					
3) Since this application is in condition for allowan		secution as to the	e merits is			
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	i3 O.G. 213.				
Disposition of Claims						
4) Claim(s) <u>1-4,6-10,12,14,17-20 and 22-28</u> is/are	pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.						
	5) Claim(s) is/are allowed.					
6) Claim(s) <u>1-4,6-10,12,14,17-20 and 22-28</u> is/are rejected.						
7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner						
10)⊠ The drawing(s) filed on 19 September 2005 is/are: a)⊠ accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Ex	,					
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:		-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	,. -	(DTO 145)				
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 	4) LInterview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4/28/06, 6/11/07.	5) Notice of Informal P					

DETAILED ACTION

Priority

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Information Disclosure Statement

The references cited in the information disclosure statement (IDS) submitted on 19 September 2005, 16 December 2005, 28 April 2006, and 11 June 2007, have been considered.

Drawings

The drawings received on 19 September 2005 are accepted.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States

Claims 20 and 22-28 are rejected under 35 U.S.C. 102(b) as being anticipated by Balazer (US 6,084,617).

With respect to claim 20, Balazer discloses a sub-tank member mounted on a carriage that reciprocates in a main scanning direction, the sub-tank member comprising:

- a plurality of liquid room openings (Fig. 6, element 68, i.e. each color) that are respectively communicated with a plurality of head-liquid-supplying ports (Fig. 6, element 72) of a liquid ejecting head (Fig. 4, printhead),
- a plurality of liquid-communication ways (Fig. 6, arrows, i.e. ink flow) that are
 respectively communicated with the plurality of room openings, and
- a plurality of sub-tank-liquid-supplying ports (Fig. 6, element 62) that are
 respectively communicated with the plurality of liquid-communication ways,
- wherein the plurality of liquid room openings are closed by a common film
 (Fig. 6, element 50) member in order to form liquid rooms.

With respect to claim 22, Balazer discloses a liquid ejecting apparatus comprising:

- a carriage (Fig. 1, element 20) that reciprocates in a main scanning direction,
- a liquid ejecting head (Fig. 4, printhead) mounted on the carriage, and
- a liquid-room-forming member (Fig. 1, elements 22, 24, 26, 28) mounted on
 the carriage, having a liquid-room opening (Fig. 6, element 68, i.e. each color)
 and a liquid-communication-way groove (Fig. 6, element 72) that are
 communicated with the liquid ejecting head and with a liquid supplying source
 (Fig. 6, element 62),

• wherein the liquid-room opening and the liquid-communication-way groove are provided in a same first surface (Fig. 6, i.e. outer shell) of the liquid-room-forming member and covered by a common film member (Fig. 6, element 50).

With respect to claim 23, Balazer discloses another liquid-room opening (Fig. 6, interface between elements 60, 62) is provided in a second surface opposite to the first surface and is covered by another film member (Fig. 6, element 60).

With respect to claim 24, Balazer discloses another liquid-room-forming member mounted on the carriage (Fig. 1, element 20), having a liquid-room opening (Fig. 6, arrows, i.e. ink flow) covered by another film member (Fig. 6, element 70), and the two liquid-room-forming members are formed as a single integral member.

With respect to claim 25, Balazer discloses the liquid-room-forming member (Fig. 1, elements 22, 24, 26, 28) is arranged such that the first surface is horizontal.

With respect to claim 26, Balazer discloses the common film member (Fig. 6, element 50, i.e. thickness of element 50) closing the plurality of liquid-room openings is arranged in substantially parallel to the main scanning direction.

With respect to claim 27, Balazer discloses the common film member (Fig. 6, element 50) covering the liquid-room opening (Fig. 6, interface between elements 60, 62) and the liquid-communication-way groove (Fig. 6, element 72) is substantially parallel to the main scanning direction.

With respect to claim 28, Balazer discloses a liquid ejecting apparatus comprising:

• a carriage (Fig. 1, element 20) that reciprocates in a main scanning direction,

10/549,802 Art Unit: 2853

- a liquid ejecting head (Fig. 4, printhead) mounted on the carriage, having a plurality of head-liquid- supplying ports and a plurality of nozzles, and
- a liquid-room-forming member (Fig. 1, elements 22, 24, 26, 28) mounted on
 the carriage, having a plurality of liquid- room-openings (Fig. 6, element 68,
 i.e. each color) that are respectively communicated with the plurality of headliquid-supplying ports (Fig. 6, element 72) of the liquid ejecting head,
- wherein the plurality of the liquid-room openings are closed by a common film member (Fig. 6, element 50) in order to form liquid rooms,
- the plurality of liquid-room openings are respectively communicated with a
 plurality of liquid-communication ways (Fig. 6, arrows, i.e. ink flow) provided in
 the liquid-room-forming member, and
- the plurality of liquid communication ways are respectively communicated
 with a plurality of liquid-room-liquid-supplying ports (Fig. 6, element 62) which
 are communicated with liquid supplying sources (Fig. 3, off board ink supply)
 provided at an outside of the liquid-room-forming member.

10/549,802 Art Unit: 2853

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4, 6-10, 12, 14, 17-19, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Balazer (US 6,084,617) in view of Kobayashi et al. (US 6,213600 B1).

With respect to claim 1, Balazer discloses a liquid ejecting apparatus comprising:

- a carriage (Fig. 1, element 20) that reciprocates in a main scanning direction,
- a liquid ejecting head (Fig. 4, printhead) mounted on the carriage, having a plurality of head-liquid-supplying ports and a plurality of nozzles, and
- a sub-tank member (Fig. 1, elements 22, 24, 26, 28) mounted on the carriage, having a plurality of liquid-room openings (Fig. 6, element 68, i.e. each color) that are respectively communicated with the plurality of head-liquid-supplying ports (Fig. 6, element 62) of the liquid ejecting head, each the plurality of liquid-room openings are closed by a common film member (Fig. 6, element 50) in order to form liquid storing rooms,
- the plurality liquid-room openings are respectively communicated with a
 plurality of liquid-communication ways (Fig. 6, arrows, i.e. ink flow) provided in
 the sub-tank member, and

Application/Control Number:

10/549,802 Art Unit: 2853

the plurality of liquid-communication ways (Fig. 6, arrows, i.e. ink flow) are
respectively communicated with a plurality of sub-tank-liquid-supplying ports
(Fig. 6, element 62) which are communicated with liquid supplying sources
provided at an outside of the sub-tank member (Fig. 3, off-board ink supply).

With respect to claim 2, Balazer discloses the plurality of liquid room openings (Fig. 6, element 68, i.e. each color) have bottoms (Fig. 1, elements 22, 24, 26, 28).

With respect to claim 3, Balazer discloses all the plurality of liquid-room openings (Fig. 6, element 68, i.e. each color) are provided on one side of the sub-tank member (Fig. 1, elements 22, 24, 26, 28).

With respect to claim 4, Balazer discloses the opening surfaces of the plurality of liquid-room openings (Fig. 6, element 68, i.e. each color) are located in a common flat plane (Fig. 1, elements 22, 24, 26, 28, i.e. internal volume).

With respect to claim 6, Balazer discloses the plurality of liquid-communication ways (Fig. 6, arrows, i.e. ink flow) are formed by liquid-communication-way openings (Fig. 6, element 68, i.e. each color) formed in the sub-tank member and a common film member (Fig. 6, element 50) closing the liquid-communication-way openings.

With respect to claim 7, Balazer discloses the plurality of liquid-communication-way openings (Fig. 6, element 68, i.e. each color) are formed in grooves (Fig. 1, elements 22, 24, 26, 28, i.e. internal geometry).

With respect to claim 8, Balazer discloses the plurality of liquid room openings (Fig. 6, element 68, i.e. each color) and the plurality of liquid communication way openings are closed by a common film member (Fig. 6, element 50).

With respect to claim 9, Balazer discloses all the plurality of liquid room openings (Fig. 6, element 68, i.e. each color) are closed by a common first film member (Fig. 6, element 50), and all the plurality of liquid communication way openings (Fig. 6, arrows, i.e. ink flow) are closed by a common second film member (Fig. 6, element 70).

With respect to claim 10, Balazer discloses the plurality of sub tank liquid supply ports (Fig. 6, element 62, i.e. each color) are gathered.

With respect to claim 12, Balazer discloses the film member (Fig. 6, element 50) closing the plurality of liquid room openings is arranged substantially horizontally (Fig. 6, element 50, i.e. thickness of element 50).

With respect to claim 14, Balazer discloses the sub tank member (Fig. 1, elements 22, 24, 26, 28) has a first and second flat planes parallel with each other (Fig. 1, elements 22, 24, 26, 28, i.e. geometry), each flat plane having a film member for closing at least one liquid room opening (Fig. 6, element 68).

With respect to claim 17, Balazer discloses the film member (Fig. 6, element 50) is formed by a synthetic resin film (Column 3, lines 2-6).

With respect to claim 18, Balazer discloses the synthetic resin film is a polyphenylene-sulfide film or a polyimide film (Column 3, line 15).

With respect to claim 19, Balazer discloses at least one of the liquid rooms (Fig. 6, element 68) and the liquid communication ways (Fig. 6, arrows, i.e. ink flow) has a valve mechanism (Fig. 6, elements 54, 56, 58, 60, 66) that is opened by a negative pressure caused by liquid reduction (Column 3, lines 8-18).

Application/Control Number:

10/549,802 Art Unit: 2853

With respect to claim 26, Balazer discloses the common film member (Fig. 6, element 50) closing the plurality of liquid-room openings (Fig. 6, element 68, i.e. each color) is arranged in substantially parallel to the main scanning direction.

However, Balazer fails to disclose;

the sub-tank member is formed as a single integral member.

Kobayashi discloses an ink cartridge where the sub-tank member (Fig. 3B, element 65) is formed as a single integral member (Fig. 4, element 65).

At the time of the invention, it would have been obvious to one of ordinary skill in the art to use the cartridge disclosed by Kobayashi in the printer disclosed by Balazer. The motivation for doing so would have been "to provide a printer system capable of maintaining a high printing quality of the above-described ink-jet recording apparatus, and also capable of realizing low-cost printing operation" (Column 4, lines 31-35).

Response to Arguments

Applicant's arguments with respect to claims 1, 2-21, and 22-28 have been considered but are moot in view of the new ground(s) of rejection. The examiner makes of record that the claim objections dated 23 April 2007 are withdrawn in view of applicant's remarks.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Geoffrey Mruk whose telephone number is (571) 272-2810. The examiner can normally be reached on Monday-Friday 7:30am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/549,802 Art Unit: 2853

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

GSM 12/17/2007

STEPHEN MEIEH SUPERVISORY PATENT EXAMINER